

ATTACHMENT TO PAPER NUMBER
S.N. <u>754716</u>

GROUP
-------

### NOTICE OF PATENT DRAWINGS OBJECTION

Drawing Corrections and/or new drawings may only be submitted in the manner set forth in the attached letter, "Information on How to Effect Drawing Changes" PTO-1474.

A. ☒ The drawings, filed on 7/15/85, are objected to as informal for reason(s) checked below:

- |  |  |
|--|--|
| 1. <input checked="" type="checkbox"/> Lines Pale in Parts<br><i>see all views</i> | 11. <input type="checkbox"/> Parts in Section Must Be Hatched.   |
| 2. <input type="checkbox"/> Paper Poor.  | 12. <input type="checkbox"/> Solid Black Objectionable.  |
| 3. <input checked="" type="checkbox"/> Numerals Poor <i>letters in Parts.</i>      | 13. <input type="checkbox"/> Figure Legends Placed Incorrectly.  |
| 4. <input type="checkbox"/> Lines Rough and Blurred.                               | 14. <input type="checkbox"/> Mounted Photographs.  |
| 5. <input type="checkbox"/> Shade Lines Required.                                  | 15. <input type="checkbox"/> Extraneous Matter Objectionable.<br>[37 CFR 1.84 (1)]   |
| 6. <input type="checkbox"/> Figures Must be Numbered.                              | 16. <input type="checkbox"/> Paper Undersized; either 8½" x 14",<br>or 21.0 cm. x 29.7 cm. required.   |
| 7. <input type="checkbox"/> Heading Space Required.                                |  |
| 8. <input type="checkbox"/> Figures Must Not be Connected.                         | 17. <input checked="" type="checkbox"/> Proper A4 Margins Required:<br><input type="checkbox"/> TOP 2.5 cm. <input type="checkbox"/> RIGHT 1.5 cm.<br><input checked="" type="checkbox"/> LEFT 2.5 cm. <input type="checkbox"/> BOTTOM 1.0 cm.<br><i>FIGS. 1 &amp; 2</i> |
| 9. <input type="checkbox"/> Criss-Cross Hatching Objectionable.                    |  |
| 10. <input type="checkbox"/> Double-Line Hatching Objectionable.                   | 18. <input type="checkbox"/> Other:  |

B. ☒ The drawings, submitted on 7/15/85, are so informal they cannot be corrected. New drawings are required. Submission of the new drawings MUST be made in accordance with the attached letter.